

FORESTRY OPERATION SOLUTIONS

JANUARY 2025



CORE VALUES

The Snap-tite Promise



PEOPLE

We have a culture of continuous improvement. We foster a perpetual state of learning, emphasizing that it's not just a job, it's a career.



PROTECTION

Our hoses are designed to protect against a range of external factors, such as abrasion, chemicals, heat, and weather conditions.



PERFORMANCE

Snap-tite hoses are engineered to deliver high performance in pressure rating, temperature resistance, flexibility, and overall durability.



INNOVATION

Our hose embodies the development and application of the most advanced, groundbreaking technology.

Innovations and solutions.






Swift-moving forest fires require quick action and Snap-tite's forestry products deliver! Engineered to be light in weight, but tough in stature, our forestry hoses ensure reliable performance in even the toughest environments.





POLYESTER SINGLE JACKETED FORESTRY HOSE





HOSE COLORS















POLYESTER SINGLE JACKETED FORESTRY HOSE

- Our Type 187 forestry hose is a lightweight, all-synthetic fire hose featuring a durable polyurethane lining within a polyester jacket.
- Engineered to meet USDA Forest Service Specification 5100-187 for "Synthetic Lined" fire hoses.
- Offered in 50' or 100' lengths, with your choice of aluminum rocker lug or 1/4-turn forestry couplings.





FEATURES


- BlazeLine[™] 8 meets the new Type II specification and boasts mildewresistant properties to eliminate the need for drying.
- Optional Dura-Cote[™] protective treatment.
- Hose remains flexible at temperatures of -40°F (-40°C) to 150° F (65°C).
- Manufactured in accordance with NFPA 1960 Standard, latest edition within our ISO-9001:2015 certified quality assurance system.





POLYESTER SINGLE JACKETED FORESTRY HOSE





HOSE COLORS

White

(uncoated)

BlazeLine™ 7













POLYESTER SINGLE JACKETED FORESTRY HOSE

- Our Type 187 forestry hose is a lightweight, all-synthetic fire hose featuring a durable polyurethane lining within a polyester jacket.
- Engineered to meet USDA Forest Service Specification 5100-187 for "Synthetic Lined" fire hoses.
- Offered in 50' or 100' lengths, with your choice of aluminum rocker lug or 1/4-turn forestry couplings.





FEATURES

- BlazeLine[™] 7 is designed for traditional Type I specifications.
- Hose remains flexible at temperatures of -40°F (-40°C) to 150° F (65°C).
- Manufactured in accordance with NFPA 1960 Standard, latest edition within our ISO-9001:2015 certified quality assurance system.



WHY CHOOSE SNAP-TITE?





As the only ISO 9001: 2015 certified lay-flat hose manufacturer in North America, Snap-tite Hose offers a solution tailored to the unique needs of firefighters, providing durable, high-performance hoses that ensure operational readiness, safety, and long-term reliability. The key features that make Snap-tite Hose an ideal choice include:

Durability: Built with advanced materials, Snap-tite hoses withstand extreme conditions, including high pressures, intense heat, and rough handling.

Reliability: Snap-tite Hose is trusted by fire departments across the country for its consistent, high-quality performance. Their hoses have a proven track record of reliability in critical situations.

Compliance with Standards: Snap-tite products meet or exceed industry standards, including UL requirements.

Complete solution: Snap-tite offers your complete solution for forestry operations.

